SECTION 00 10 00 - REQUEST FOR BIDS

Bids are requested by Seneca Township High School District No. 160, Seneca, Illinois 61360 for 2025 – Domestic Hot Water Heating System Upgrades at Seneca Township High School. Work is to be carried out in accordance with Bidding Documents prepared by BCA Architects, Ltd., 620 West Lafayette Street, Ottawa, Illinois 61350.

Project Description: Removal and Replacement of Domestic Hot Water Heating System serving the 1978 Building, and additional work as indicated.

Contract Type: Single prime lump sum contract.

Submission of Bids: Bids will be accepted until **11:00 a.m., March 11, 2025**. Bids shall be delivered to the Main Office at Seneca Township High School, 305 East Scott Street, Seneca, Illinois 61360. All bidders shall enter the building through the main entrance on the south side of the building; a district official will escort the bidder to the appropriate location. Bids will be publicly opened at that time.

Mandatory Site Visit: Mandatory site visit is required by General Contractor Bidding the project. Contact Dan Stecken, Superintendent at Seneca Township High School (815-357-5070) to schedule visits on available dates. Owner reserves the right to disqualify Bidders that did not visit the site and sign in at main office.

Availability of Bidding Documents: Bidding Documents will be available on and after February 20, 2025 and may be examined/obtained at the Architect's online Plan Room at www.bca-architects.com; Greater Peoria Contractors & Supplier Association, 1811 West Altorfer Drive, Peoria, IL 61615; Illinois Valley Contractor's Association, 1120 First St., LaSalle, IL; Contractors Association of Will & Grundy Counties, 233 N. Springfield Ave., Joliet, IL.

Stipulations: Bid security in the amount of five percent (5%) of the Base Bid amount proposed, in the form of a certified check or cashier's check made payable to the Owner, or a Bid Bond, must accompany bids.

Bid security in the amount of five percent (5%) of the Base Bid amount proposed, in the form of a certified check or cashier's check made payable to the Owner, or a Bid Bond, must accompany bids.

Selected bidder is required to provide a satisfactory performance bond and labor & material payment bond covering the full performance of the contract. The costs of the bonds are to be included in each contractor's bid proposal.

Selected Bidders must assure that all persons employed by Bidder, and all applicants for such employment, will not be discriminated against because of their race, creed, color, sex, age or national origin.

Selected bidder will be required to provide documentation of participation in apprenticeship and training programs approved and registered with the United States Department of Labor's Bureau and Apprenticeship and training.

The contractor shall be required to comply with all provisions of the acts of the General Assembly of the State of Illinois related to Wage Rates, Discrimination, Sexual Harassment, Alcohol Use, Preference to Illinois Workmen, Fair Employment Practices Commission, and Equal Employment Opportunity. The Contractor shall be required to comply with the Substance Abuse Prevention on Public Works Act (Public Act 95-0635).

Contractor shall not pay less than the prevailing rates of wages as determined by the Illinois Department of Labor to all laborers, workmen and mechanics performing work under this contract, and shall comply with the requirements of the Illinois Prevailing Wage Act (820 ILCS 130/1-12). All Contractor's bonds shall include a provision as will guarantee the faithful performance of such prevailing wage clause as provided by this bid specification or contract.

Additional information and bidder requirements are included in the Instructions to Bidders and the Bid Documents.

No Illinois O.E. sales tax will be required for this work.

Owner reserves the right to reject any and all Bids, to waive any irregularities in the Bidding, and to award contract in Owner's best interests.

Board of Education Seneca Township High School District No. 160 Seneca, Illinois 61360

END OF SECTION 00 10 00

HEATING SYSTEM UPGRADES 2025 - DOMESTIC HOT WATER

SENECA TOWNSHIP HIGH SCHOOL

DISTRICT NO. 160 2667 E. 28TH ROAD SENECA, ILLINOIS 61360

DESIGN FIRM REGISTRATION NO. 184-002170-0001 BCA ARCHITECTS, LTD 620 WEST LAFAYETTE STREET OTTAWA, ILLINOIS 61350 (815) 434-0108

MECHANICAL, PLUMBING, ELECTRICAL ENGINEER MEG CORP.

DESIGN FIRM REGISTRATION NO. 184-007637-0006 623 26TH STREET ROCK ISLAND, ILLINOIS 61201 (309) 788-0673



CLA EMBOON MEN DOOR OPENNO, EXISTING OPENING WITH MEN WORK EXISTING DOOR DIFFERE 44

ROOM LQ./TAG

ONER ASSERVATIONS IN COMMON USE TAT ALAO BE UNED PAROXAMONT THESE CONSTRUCTION INCOMENTS GAMES STREAM ITEM IS TO BE REMOVED ON RELOCATED.

INDEX OF DRAWINGS

COVER SHEET

0.00

SITE

PLUMBING COVERSHEET

LOWER LEVEL PLAN - PLUMBING PLUMBING ENLARGED PLANS PLUMBING DETAILS

P21 P30 P40 P60

PLUMBING SCHEDULES

ELECTRICAL COVERSHEET

E0.0 E11 E3.0

OVERALL LOWER LEVEL PLAN - ELECTRICAL ELECTRICAL ENLARGED PLANS

620 W. Lafayette Street Ottawa, Illinola 61350 Pj 815.434.0108 bca-architects.com

SITE LOCATION MAP

GENERAL NOTES

ALL DOCK TO THE TOTAL THE

TREMETERS WAIL WAY CONTROL OF LOCATION OF CONTROL OF SERVICES OF CONTROL OF RESPONSIVE MEDICAL SERVICES OF THE SERVICES OF THE

each contractor shall obtan recembart acaemenente fron dhaea contractors in order that his work it Other balcues, order and shall piether veret necessart reagmenents of Bulding on order that his vori That fit that alterot'n flaces. CONTRACTOR IN NESPONSBLE POR REVIEWING CONFIRMCTION DOCUMENTS, PELD VERSTING EXISTING CONDITIONS AND ADDRESSING DESCRIPTION OF ADDRESSING ASSUME ALLES IN BOTHING TO THE AMERICE PRIOR TO SECUMENCE CONTRACTOR ASSUME ALL RESPONSBLITT FOR DESCRIPTION TO ADDRESSING TO THE CONTRINCTION ASSUME.

CONTRACTOR IS RESPONMENDE NOR ALL PERMITS AND/OR PEES NECLORED FOR CONTRETOR OF PROJECT CONTRACTOR IS TO MINORI MEDITED OR ART CHANGE OR PIELD CONDITION THAT AFRECTS CONSTRUCTION OF SMACE IN ACCORDANCE WITH COSTSTICTION CONTRIBITS.

THE CHINICIST OF WAX, CLEAR MAY BE WELL TO REMOVE CLEAR.

THE CHINICIST OF REMOVED CORRESPONDED TO APPLICATE ON CHINICATES AND MODIFIED TO CHINICATE INVESTMENT OF REMOVED CORRESPONDED TO THE ADMINISTRY PRODUCED THE ADMINISTRY AND ORDER TO THE ADMINISTRY PRODUCED THE ADMINISTRY AND ORDER TO THE ADMINISTRY PRODUCED THE ADMINIST

GENERAL DEMOLITION NOTES.

CONTRACTOR TO PRESCORE MANOR COORDANT EXPORTED WAR 60 THAT EXTENT OF CASE WAR PROVIDES A PAGENCY MID COMPLETE MACUTY.

SENECY ILLINOIS (1310) 371J E. 2014 ROAD SENECA TOWNSHIP HICH SCHOOL DISTRICT NO 140

2025 - DOMESTIC HOT WATER 2025 - DOMESTIC HOT WATER 203

APTER COPTERTION OF DEMOUTON CONTRACTOR IS TO PATCH EXISTING SURFACELS) TO NATCH SAPPACE AND/OR AS REGISSED TO RECEIVE NEW BOST.

ALL DETOLIND'S NOTE AND TEFAMBA TO REAMONG FACENTES ARE TO BE IN COMPLANCE BITS ALL APPLICABLE BALDNI COMPLAND TEMBERSHYS OF PEDERAL STATE AND LOCAL COVERNME ANTHORITES, GENERAL CONTRACTOR IS REPR FOR DETAMBLE TEMPERSHY FERTING

CONTRACTOR IS TO CHART AND RAME ALL VILLES PROF TO CONTRACTOR AND QUITON SON WILL NEW CONSTITUTE

BEE SPECKATORS FOR ACCIDING RESPONDA RESPONDA RESPONDANCE OF THE WORK

ICENSED ARCHITECT/ ENGINEER'S CERTIFICATION

March Cornel | March 135.412 SIGNATURE

31m SF 28.008 SF 11.05 SF 42.003 SF

BASENENT PLOOR AKEA. FARST PLOOR AREA SECOND PLOOR AREA TOTAL GNOSS AREA

APPLICABLE BALDNG CODES

WITERANDAND BALDNG CODE LATEST EDMON
LINGS AFATE FUNDAN CODE LATEST EDMON
LINGS AFATE FUNDAN CODE LATEST EDM
WPA NO "NATDANA ELECTRICA" CODE LATEST EDM
WPA NO "NATDANA ELECTRICA" CODE LATEST EDM


OCCUPANCE CLASSINGATION CROSS IS

BUILDING CODE INFORMATION

DATE

NOVEMBER 30 2031 DATE OF EXPRANCE

Manual Control of the 0.05 COYER SHEET



APPL	APPLICABLE CODES
CONTRACTOR SHALL COMPLY V	CONTRACTOR SHALL COMPLY WITH APPLICABLE CODES AND LOCAL AMENDMENTS INCLUDING BUT NOT LIMITED TO, THE FOLLOWING
BULDING CODE	MC 2014 EDITION
FIRE CODE	#C zoit Epiton
PLUMBING CODE	IPC 2018 EDITION
MECHANICAL CODE	MC 2016 EGITOR
ELECTRICAL CODE	NFPA TO (NEC) 2020 EDITION
LIFE SAFETY CODE	NAME OF STREET
ENERGY CONSERVATION CODE	ECG 2018

FIRE / SMOKE BARKIEK DESIGNATIONS	EK DESIGNATIONS
THE LINE TYPES SHOWN ARE FOR THE CORVENIENCE OF THE CONTRACTOR THE CONTRACTOR SALL, VEHEY PATHYBUS MITH THE LINEST SET OR ARCHITECTURAL FULLS BAIL OF THE SET OF SECURITY OF THE SET OF SECURITY OF THE SET OF SECURITY OF T	NCE OF THE CONTRACTOR THE CONTRACTOR ARCHITECTURAL PLANS AND FURNISH ALL NATINGS WHETHER SHOWN OR NOT
AL ROW FOR CHURCH TO PROPERTY OF THE WIGHTS WALL BE DESIGNATED AS 1.4.2 PROPERTY FIRE MARGINS UNITS OTHERWISE OF THE PLANS ANNINGS VIEWE ACQUISED FROM THE MACHINECTHAL PLANS.	ASEMBLIES SHALL BE DESIGNATED AS 14.2 EE ON THE PLANS RATINGS WERE ACQUIRED
I HOUR PRE BARRIER	
ZHOOM FAIR BARNISH ON WALL	

MECHANICAL BLAKE DUNCAN

3		PLUMBING SYMBOL LIST
		NOT ALL STUDOLS WAY APPLY
	SYMBOL:	DESCRIPTION:
	-00	COLD WATER - POTABLE
	1	Collecto
		MATURALCA
	1	GAR RECULATOR VENT
	-	HOT WATER POTABLE
	-wwc-	HOT WATER CHICLATING - FOTAINE
	ľ	PIPE CONTINUATION
	Ī	P. C.
	Î	MAN DOWN
	Ŷ	PIPE UP DR UPIDOWN
	1	PITCH RIPE IN DIRECTION
	-	DRECTION OF FLOW HI PRICE.
	_	ROUTE TO DEAN
	1	O'EL ECTRIC CONNECTION
	1	UNION/FLANCE.
	-	SHUTOFF WALNE ROBBALLY OFFIN
	-	SHUTOFF VALVE NORMALLY CLOSED
	8	BALANCING VALVE (NUMBER INDICATES OPM)
	1	CHIECH VALUE
	HANN	BACKNOW PREVENTER
@@	>	
QQ	- ô8	SOLENOD VALVE
@E	٤	SAFETYRELIEF VALVE
-, @@		
@ @	7,0	SAPETY ARLUEP VALVE
@@	0	VACUUM BREAKER
9 1 1 1 1 1	8	PRESENTE CALCE A NEW SPECIO WITH BALL MAKES
TITLL	T	PHESONE IENSON FURNISHED WITH BALL VALVE.
THIL	0	Tourselves abudos with edia.
FILL	i (e	
THI	3	THERMOMETER WITH WELL (DIAL TYPE)
HH	-	THERMOMETER WITH WELL (FILLED TYPE)
111	1	AEDUCER, REFERENCE SPECIFICATION FOR CONCENTRIC/ECCENTRIC AND FOTFOR
H	6	PRESSURE REDUCING NAVE GLOUD GALL
Ī	4	Politie
		MI ISS

	- FORMER ADDIVENTALION REL	MECHANICAL GENERAL NOIES:
ABBR:	DESCRIPTION:	THE PRESENCE AND YTO ALL MEDIANGE OFFETS AND TRACES, INCLUDING BUT NOT LIMITED TO THE PRESENCE AND LIMITED AND PRINCE
AFF	ABOVE FINISHED FLOOR	
BFP	BACKFLOW PREVENTER	CAGRISHMATIC AND MAY NOT A USE 11 FF FEET FALCT WITH A TICK CONDITION
CB	CAICHEASIN	DRAWNOS SHOW IN COMMAN APRANCEMENT OF CACTIVORS PRINCE STORES SECURITY STORES
ō	CALL MON	HISTALLATON THE DRAWNESS SPALLES FOLLOWER AND CORES AND SALESHED
8	CLEANOUT	2 DONDE SCALE CRAMMERS WERE FAL DIRECTIONS AND CLEARANCES FROM
ã	bown	ANGUATECTURAL STRUCTS MAL SUBMETTALS AND OTHER ASSESSMENT TO DRIVING D
ы	EZISTING	L COORDINATE ALL VICIN WITH ALL OFFICE PRICE TO PRICE LA TOPROCES
50	FLOOR CLEANOUT	CALANOCE ROUNDS FOR DESALON MANIEMANCE, COOR COMPLINACE AND TO VEHILY KIDS AND THE WART WHEN WERE TO
5	PLOCH DRAM	VERFORM OF AN ACCUSANT CLEARANCES FOR ALL TRADES SHING ANY STEPS PROCESS. ON OTHER PIECES THE ATTENDED OF THE ARCHITECTURE COMMUNICATION OF THE ACCUSANCE OF TH
S	HOOR SHIP	WORKSHOOT ON EXCHANGE OF SOME STATES AND STATES OF THE STA
w :	INVERT ELEVATION (FOR REFERENCE ONLY)	A MANUAL PROCESSION OF TAXABLE AND PROCESSION OF TAXABLE CALLESTICATED AND MAKE MANUAL MODERN AND PROCESSION OF TAXABLE PROCESSION O
AW	market therefore	ACCESS A ANY PRINCIPLE SAFE VALUE AND ANALYSIS COMPANY OF THE PARK PARK AND ANY
U	AGT IN CONTRACT	COORDINATE SHALL BE MADE BY THE CONTRACTOR WITHOUT ADDITIONAL COST OF
TN .	AEUTRALEATON TAAK	LONGOTACIDI ISATEMBANI, ETON ALL COSTE ASSOCIATED WITH ELECTRICAL
SCCR	SHORT CROUT CHRISTING	CHANGES REQUIRED FON EQUIPMENT PROPOSED TWAT DIFFERS FROM THE BASS CH
0	HIDCHORN	2 CACH CONTRACTOR IS RESPONSED FOR CAMPING BY THEIR ACTIONS TO SERVE
T,P	TYPICAL	PROCHES CRUMES AND NOOPS. THE CONTRACTOR MINOR WASHINGTO DAMAGENS.
WH	WATER HEATER	PRODUCE OF ALCOHOLOGICAL CONTROL OF STREET AND STREET A
WW	WATER METER	AND THE PROPERTY OF THE PROPER
e e	עזון, דרי ⊌סג.	SCALSO ARTICAL WITH WATERWINDS THROUGH ARTERIOR WALLE AND NOS HALL BE SCALSO ARTICAL WITH WATERWANDONG WATERWALL RECOMMENDED OF MAINTAIN ACTURES.
NON	UNLESS OTHERWISE NOTED	FOR CALL AND DAME AND THE SECOND CALL CALL CALL CALL CALL CALL CALL CAL
vco	YARD CLEAROUT	PRATTICULA CON ASSOCIATES THEIR ESSENTIA, TO PRESENT HOME TRANSMICTOR
		 Weller F. Pett, And Debugger and The Second Control of the Control o
_	PLUMBING SLOPE REQUIREMENTS:	RELEVANT DATE INCIDENT WAS ELEVATIVE TO BE WATERTOOK TO SERVE IT SOMEWEN'S WAS ALREADED.
	BASED ON PLUMBING CODE, CURRENT ALINDS PLIMBING CODE	MANUFACTURERS CONDUCTATION FINANCIAL PRODUCTION OF EQUIPMENT SIZES AND RECOMED SERVICE CLEARANCES CONTINUES WORLD AND TO COMPANY OF SERVICES
IEROR WITARY WASTE REASE WASTE FORM (GRAVITY) DNDEASATE AND WITARY AND GR	ILEGERA HARTH WASTE HEATHWASTE HE	I DONGTO, ACCO, TIME TO SECURITE TO SECURI
	MECHANICAL RENOVATION NOTES:	Of RECTIVE CONTROLLS CONTROLLS CONTROLLS AND CONTROLLS OF A CONTRO
FIRE PROT	IESE NOTES APPLY TO ALL MECHANICAL SHEETS AND TRADES. INCLUDING BUT NOT LIMITED. 7, FIRE PROTECTION, PLUMBING, AND PIPING	FLECHICAL PARKES N. CO NOT SACISED 25 LISS FOR NACES AND A MINISTER SPECIAL PARKES.
SHAPE MODELA MOD	TOTATING CONDITIONS AND WOON'N BASED ON STOCKHAILD VIOLEN HIGH HELD STATEMENT OF THE STOCKHAILD WAS A STOCKHAILD OWN OWN THE STOCKHAILD WAS AND STOCKHAILD WAS A STOCKHAILD WAS	ATTACKS TO MATE AND OCCORDANTS HOST PROPERTY OF THE OCCUPANT OCCUPANT OF THE OCCUPANT OCCUP

4156'5

PLUMBING SLO	PLUMBING SLOPE REQUIREMENTS:
AASES ON S	LUNBAUG CODE, CLIRRENT ALTHOUGH PLANSING CODE
MITARY WASTE	INC PER FOOT
HEASE WASTE TORM (GRAVITY)	1/4 PER FOOT
NDEMBATE AND INDIRECT DRAINAGE	I/B PER FOOT
NITARY AND GREADE VENT MESTIC WATER:	NO SPECIFIC PITCH, PITCH TO FIXTURES NO SPECIFIC PITCH, PITCH TO FIXTURES

N NOTES:	S. INCLUDING BUT NOT LIN
MECHANICAL RENOVATION NO	HESE NOTES APPLY TO ALL MECHANICAL SHEETS AND TRADES. INCLUDING BUT NOT LIK 'O, FIRE PROTECTION, PLUMBING, AND PIPING

- The control and a second contr

	w.	NEWS.		tects
N	16	35	15	archit
COLUMN TWO	on the			- POC

The Control of the Co

SENECA ILLINOIS 61360 307 E SCOTT STREET BCA Architects, Ltd.

P0.0


620 W. Lafayette Street Ottawa, Illinois 61350 Pl 815 434 0108 26 ився на машт неатет керіасетіелет


PLUMBING GENERAL NOTES:


PLUMBING SHEET INDEX

MEG STANDARD

Ргицама соленанее







					N. In	A.ICTRCAL				ŀ	
						Ï	DACONIECT		SONTHOLER	50	
SAC WARE	otranst)	la atom 44	9941704	125744	#20E	\$3994.40.8	(A STON) YE	18 310H134Y1	IA STOWING	(D STON) SAY!	SECOND CHARLES AND SECOND
š	And the control of th	£6	5	3	80	-	23	ut.	2	>	uur seo jacozato ji teled ja kuudaa keeli, va o of fratos 2 seeeli
16	DOWN STREET TO THE CONTROL SHEET THE CONTROL SHEET THE CO		8	-	8	-	8	1	×	# # #	THE WORLD FOR THE WORD FOR THE WORLD FOR THE WORLD FOR THE WORLD FOR THE WORLD FOR THE

PLUM	PLUMBING MATERIAL LIST	
TAC NAME	DOKENION	MANUFACTURES AND NOOFS.
1	Powerform was writted for the Construction was followed presented and account and account of the Construction of the Construct	PANGON TANA SAMBON THINGS THE STATE OF A CONTRACT TO STATE OF THE STAT
	MANUALLY TANK VOLLING TO BE IT GALCONS MANUALLY ACCEPTING VOLLING TO BE IT GALCONS	
	THINK SHILL MANY A VOCACING TOWN (MATCH FILE) VENING PRESSURE OF 150 PSIG. FACTORY PINE CHARGO FOR SHIPPING THE DEMOCT TANK TO MATCH FIELD VENIFIED STATIC SYSTEM PRESSURE	

THE PROPERTY OF THE PARTY OF THE PROPERTY OF THE PARTY OF	The state of the s				
MONA WIGH TO SERVICE THE REPORT OF THE REPOR	ONE AND JECUS THOUGHTHENESS WELLES LUST DECLOW AND BE GOLD ALCO DESIGNED AND LAND TOO BY ON IT WITH STRONG SECTION DESIGNED CASH LAND TOO BY ON IT WITH STRONG WHI SECTION OF AND STREET OF DIFFE WANDER AND SECTION WAS THE SECTION AND STREET OF DIFFE WANDER AND SECTION TO BE AUGUST DONE IN CHICAGO SECTION	TO BELOW AND SAS THE STREET SAS THE	ED ON ASHRAE	NECC REOL	THE PROPERTY OF THE PROPERTY O
PIPE 3Y3TEM	WSULATION TYPE	INTALATION P	NAULATON THEYMEN PER ROWS	R ROSSERAL	#EU QN
22422 - 242525			11.1041.811.81104.41	18-10-4	
22 PLUMBING - GENTA					
ISCHILLE WHITE, ATAKES, AND DOSCHARDEE	Outpeant E (Paso) P (Prime)	-50	.60	î.	APPLY MILITARION DALY MATERN SO OF EXTRACE POSITION ON COMPANY MATERIAL SACRAGE SECOND
2 PLUMBING - WASTE					
- Oshor	Biganti Elphati Filmmi	.50	00	4.	ANTER VISION AND LANGUAGE TO LOW TELL DRAWING 105 GLC AND LONG M. II.
23 PLUMBING - WATER			1		
SW-COCO WANTER - POTABLE	fillers I Posts P (Pers)	40	40		
INV. HOLWITER. FOTABLE	O CC name & privates P of commits		_	-	
MAK., MET WATER CHELLA THES. POTABLE	Octional Ciffeen F Orenal				

NOTES:	ER INSTALED BY		22A97	COULED VALUE, WITH DF BI OR BIA FANS LOWER	SON OF MOTOR NAME	M	
SCHEDULE GENERAL NOTES:	SECRET STATE OF STATE ST	CB + CRCUIT BREAKER F + NOSED F + NOSED F + NOSFUE F +	CONTROLLE STATISTICS (CONTROLLES STATISTICS (W. F. WILL VOLTAGE (W. S. WAGNAGE FOR START) (W. O. WAGNAGE FOR GUESTOWN PROPERS (F. O. WAGNAGE FOR GUESTOWN PROPERS (F. O. W. CONTROLLEY COMMUTATED MOTOR)	O FAN RYN BRULL NOT EACE TO FIRM OF SCHOOLED VALUE, WITH THE SCHEDULED WHEEL, TYPE SUBSTITUTION OF BLOR BIA FANS FOR FC IS ACCEPTABLE IF EFFICIENCY IS NOT LOWER.	EINO EQUIPMENT SHALL BE SELECTED ABOVE 90% OF MOTOR NAMI	F MUST BE WITHIN ++ 10% OF SCHEDULED RPM	0 CURB TYPE MFR • STANDARD CURB BY MANUFACTURER CC • BY DEFERM, CONTRACTOR KE • CO NO ATTENDATOR

		♦IMEG

bca-architects.com Scow Manageria Steet Orlawa illinois 61350 Pl 815 434 0108



Prink Broak Celebra Selection Select

SEMECY ITTIMOIS 81380 303 E SCOLL SIMEEL

BCA Architects, Lld.

Зелеса НS Water Heater Replacemenet



LINE TYPE AND TAG KEY.

MATTORING DOCK WITH DASH IS INCOME.

TAGE TAGE WITH DASH IS INCOMES THE SEMENTICES COMPLETES ENGINES. TAG:E

UNDERLINED TAG INDICATES OBLECT IS IN-SCOPE & NEW ADDITIONAL INFORMATION IS AVAILABLE IN A SCHEDULE MATERIAL LIST, OR SYMBOL

APPLICABLE CODES CONTRACTOR SHALL COMPLY WITH APPLIANCE BUT NOT LIM

IFC 2018 EDITION
UPC 2018 EDITION
IMC 2018 EDITION
NIPA 70 (NEC) 2020 EDITION
WIPA 101 2018 EDITION UMBING CODE CHANICAL CODE ECTRICAL CODE ESAPETY CODE DING CODE

CONTRACTOR ABBREVIATION KEY	DESCRIPTION:	ELECTRICAL CONTRACTOR	PLUMBING CONTRACTOR	GENERAL CONTRACTOR
J	ABBR:	23	34	90

DESCRIPTION:	PERSON:
PROJECT MANAGER	PETE COURTNEY
MECHANICAL	BLAME CURICAN
ELECTRICAL	GADRAY SHARMA

- IOBMAS	TAG	SPEC	OESCRIPTION:
		SECTION:	
Œ.	ECONIN	2022	ELECTRICAL CONNECTION
3			
8	MANUS.	20.70	MANUAL SWITCH / STARTER REFER TO DISCUSTA SCHEDULE

	ELECTRICAL EQUIPMENT TAGS	
TAG:	TAG: DESCRIPTION:	SPECIFICA
MX-8	MANANE SMITCH, REFER TO DISCOMMENT AND STARTEN SCHEDUME	26 24 19
NS-8	MANUAL STARTER, REFER TO DISCONNECT AND STARTER SCHEDULE	26 24 19

CONDUIT INSTALLATION SCHEDULE

THE FOLLOWING SCHEDLLE SHALL BE ADMERED TO UNLESS THEY CONSTITUTE A NOUNTING YOR PREPLUEBLE COREGO FAIR MEND OTHERWISE OF THE DRIVING THE THE INSTALLATION OF HEX CONDUTTING THE PREPART OF THE THE SCHEDLE SHALL CONDUIT SPECIFICED THIS SCHEDLE, BETER TO CONDUIT AND BODES SPECIFICATION 20 IS 33 FOR ADDITIONAL INFORMATION

NSTALLATION TYPE	ij
FEEDERS SWITCHBOARDS DISTRIBUTION PANELS. PANELBOARDS, MOTOR CONTROL CENTERS, ETC.	-
BIANCH CROUTS LIGHTING RECEPTACLES CIANTROLS, ETC	25
MECHANICAL COLPARINE PURPE, CHARLES AN HANDLING UNITS, ETC.	2
PACKED AND RESIDENCE THAN SPECT OF UPING TO PLANT, THE	×
INTERIOR LOCATIONS WITH FINISHED CEILING AND WALLS CONCEALED IN WALLS AND ABOVE FINISHED CEILINGS	4
NTERIOR LOCATIONS WITHOUT FINISHED CEILINGS CONCEALED IN WALL EXPOSED ABOVE CEILINGS	٠
EXISTING INTERIOR LOCATIONS WITH PINISHED CEILINGS AND WALLS CONCEALED IN WALLS AND ABOVE FINISHED CEILING UNLESS OTHERWISE NOTED.	a

ELECTRICAL ABBREVIATION KEY

ABBR:	DESCRIPTION:
ABV	ABOVE
AFC	ABOVE RINISHED CELLING
AFF	ABDVE FINISHED FLOOR
AFG	ABOVE FINISHED GRADE
ASH	ARCHITECTURAL SURFACE RACEINAY

MOTE, ALL CASCONNECTS JUSTIFF MANYAL STAFFARS SHALL BE HEAVY GUTY TYPE. DISCONNECT AND STARTER SCHEDULE

DIRECTION OF THE			20	ACCESSORIS & OFFICES	LOCTOR!				and description of contrast of the last	Control or Control of
ru-rusto			3	SA - STANDARD ACCESSORES (PICCUCES ** 11EMS)	ACCESSO	ALES STAD	19000	-	PINKER LOSS PROFEC	PF - PTIMEE LOSS PROFECTION IS NO ON DREATER 3 PHASE
W. NOW PUBLIS			ÿ	CT. CONTRO, TRUSTICIALES, FUSED 1200	DAME	SUCK FL	OCI GA		TO - WELLING THE WAY, CVENICADE IN PRICES	PERCHADA IN PRINCES
CB - CMCUST BRICARES			22	TO - PLECT HONC ON PLCAD 23 ProASE MOTORS	AC OWNER.	CABISP	OH STY	Г	75 - 2 SPEED SELECTOR SMITH IN DOCU	MICHWOOD
			1964	14 - NAME OF FAUTO US DOOR	AUTOUS	9000		40	GP - CALEN LOFF, PLICT UGHT IN DOOM	OH WOODS
ALPANTER TYPE.		l	18.	SALPLUS LALAN	PICOTLIC	DE IN DO	5	44	FA. + COMMISSIBLE AUXILIARY CONTACTS	MAY CONTACTS.
IV. FLAL VOLTAGE			12	TA - IND COING STILL AUXILIARY CONTACTS	AMERICA	AUXILIAR!	CONTA	Г	IN CLECTROS, WITH LOCKING & IDAC	SKIDING & IDING
TO WYE DELTA			5	SING THE CALATED NEWTON, ACCESSION	MENTRA	ALTEND		Г	55 - START 4 TOP PULP-GUTTON IN DOOR	TOWN DOOR
HE - HEVERSHIP			H					180	IN - HANDLE PADLOCK HADE	
TW. 2 SPEED, 3 WACANG	l	l	ŀ		ı	l	ı			
SW-21FED INCADED			H		ı	ľ				
RY - RECUCED VOLTACE AUTOMORAL	Sale.		H				H			
15 - 50u0 1741E			H		ı		ı			
MS - MARKER STARTER			H							
MA. MANUAL BWITCH	ı									
FS-FUTED SWITCH										
AND ACTION OF MOUNTAINING	1838		H		l		ı			
	consci	BATHO RATHO	724			STARTER	TER.		REGUIRED	
MEW	Jane	AATING	MATING	TYPE AATING MATING VOLTAGE	50.05	NO.	neg	Bonsolona	8	COMMENTS
15051		12		200	-		ş	PIEMA.	01 44	
A Very 1		8		81	-		i	HEMA 1	LEGIT DROUT PLOT	
A-488-1		13		19	-		is.	NCM1	AP US VOLTPLOT	
		Ì			l				-	

ELECTRICAL INSTALLATION NOTES:

STREET

NECESSARIE RISEA HEAVILLE DE LICENCE DE LICE

ELECTRICAL RENOVATION NOTES:

TO CONTROL POWER THE ACCOUNT OF THE STATE ACCOUNTS OF THE STATE AC

ELECTRICAL SHEET INDEX NATIONAL CONTRIBUTED OF SECTION AND SECTION SECTIONS

bca-archilects.com 620 W. Lafayetta Streat Otlawa, Illinois 61350 Pl 815 434 0108



BCA Architeds, Ltd.

DHALAH	NA.	20412025	As Ind caled	2161 00
BHA	248	2002	Asim	zsonot

E0.0

♦IMEG

